


Diagnostic Instruments

TABLE of CONTENTS

Nordent Diagnostic Instruments have a proven track record of quality and durability in even the most demanding practice. You will find a complete selection of industry standard patterns as well as some unique designs that will improve the diagnosis procedure experience for the practitioner and the patient.

"We guarantee, you will agree Nordent Instruments offer the highest quality and best performance...or your money back".

Handle Options	2
Mirror Heads & Handles	3
Explorers.....	4-6
Expros	7
Probes	8-10
Dressing Pliers	10



Handles















DURALite® ColorRings™ Handle



Our newest and most advanced ergonomic handle design! DuraLite ColorRings has the same large 3/8" (9.5 mm) diameter as our popular DuraLite Round design. The handle design has a more gradual taper from the tip to the grip so that your fingers are even more comfortable closer to the tip. In addition, we've extended the ControlRing grip by 50% to give you maximum slip-free gripping power over a larger portion of the handle. The handle has a gentle texture to reduce glare and is 100% stainless steel to make it easy to clean and sterilize by any method. The DuraLite ColorRing handle incorporates four color ring positions that are below the finger grip surface allowing you to better identify, organize and customize your instrumentation. Our innovative design makes customizing the DuraLite ColorRing handle simple and easy. With 14 Colors available...How will you color your world?

ColorRings™

ColorRings come in 14 different colors and are available in single color packages of 48-rings. Use the item codes below to select your colors.

													
RING-BL Blue	RING-TE Teal	RING-FS Fuchsia	RING-YW Yellow	RING-LG Lt Green	RING-WI White	RING-RD Red	RING-GN Green	RING-OR Orange	RING-PR Purple	RING-BR Brown	RING-BK Black	RING-GR Gray	RING-PK Pink

DURALite® Diagnostic Handle



Both of our Double and Single End DuraLite ROUND handles for Diagnostic have a large 3/8" (9.5 mm) diameter. The Single End is the lightest weight handle in the industry at only 12 grams, and the Double End is only 16 grams, and both are designed for the ultimate in tactile sensitivity. Both handles have a gentle texture to reduce glare and are 100% stainless steel to make them easy to clean and sterilize by any method.

Standard



Our original Standard diagnostic handle has a 7/32" (5.5mm) diameter with a segmented knurled grip to provide excellent control with this slimmer handle design. Both the Double End and Single End handles are 100% stainless steel and the finish is bright electro-polished to make it easy to clean and sterilize by any method.

Mirror Heads & Handles

Mirror Handles

Nordent offers four distinct Mirror Handle designs. Each is available in either Cone Socket or Simple Stem thread configurations and will accept any brand of mirror head. All are made using the finest stainless steel to provide a lifetime of trouble free service.



☉ DURALite® ColorRings® Mirror Handle

DuraLite ColorRings Mirror Handle has a large 3/8" (9.5mm) diameter and a weight of only 24 grams. Our exclusive Control Ring™ Grip provides maximum comfort and control. With four inter-changeable color rings and 14 colors to choose from you can identify, organize and customize based on your specific needs.

Handle Selection ☉ HM20 (CONE SOCKET) ☉ HM22 (SIMPLE STEM)



○ DURALite® Round Mirror Handle

DuraLite ROUND Mirror Handle has a large 3/8" (9.5mm) diameter with a tapered body and a weight of only 15.7 grams. Our exclusive ControlRing Grip provides maximum comfort and control in this ultra light weight mirror handle.

Handle Selection ○ HM16 (CONE SOCKET) ○ HM18 (SIMPLE STEM)



⬡ DURALite® Hex Mirror Handle

DuraLite HEX Mirror Handle is often called the "Hand Form Mirror Handle". The diameter measures 25/64" (10mm) across multiple facets for maximum comfort and unlimited finger positioning. At only 25 grams, this good looking light weight handle will improve comfort and control.


Handle Selection ⬡ HM12 (CONE SOCKET) ⬡ HM14 (SIMPLE STEM)



● Standard Mirror Handle

Standard Mirror Handle has a 1/4" (6.3mm) diameter and a weight of 29 grams. The knurled grip is segmented to add an extra level of control.

Handle Selection ● HM10 (CONE SOCKET) ● HM11 (SIMPLE STEM)



It is important to match a Cone Socket Mirror Head to a Cone Socket Mirror Handle and a Simple Stem Mirror Head to a Simple Stem Mirror Handle for a proper fit.

Cone Socket Mirror Head shanks have three graduated diameter sections. Section one is threaded, Section two is non-threaded with a larger diameter than section one, Section three follows with a shoulder that locks down on the end of the Mirror Handle. The Cone Socket shank has 48 threads per inch.

Simple Stem Mirror Head shanks have two sections. Section one is threaded, Section two is non-threaded and becomes the shank portion that attaches to the mirror face. Simple Stem shanks have 56 threads per inch.

Cone Socket
or
Simple Stem?



Mirror Heads
Single Sided

Front Surface /
Rhodium Coated

#4
Has a single reflective surface that is 22 mm (7/8") in diameter.

M4 (CONE SOCKET - shown)
M4S (SIMPLE STEM)



#5
Has a single reflective surface that is 24 mm (15/16") in diameter.

M5 (CONE SOCKET - shown)
M5S (SIMPLE STEM)



Mirror Head
Double Sided

Front Surface /
Rhodium Coated

#4DS
Has two reflective surfaces that are 22 mm (7/8") in diameter.

M4DS (CONE SOCKET - shown)



#5DS
Has two reflective surfaces that are 24 mm (15/16") in diameter.

M5DS (CONE SOCKET - shown)

Explorers

Explorers are used to examine teeth for decay (caries), calculus and other abnormalities. They have thin, flexible tips that taper to a sharp point and come in various single end and double end patterns. All Nordent Explorer tips are made from spring tempered stainless steel and are machine ground to exacting tolerances. Each tip is then hand sharpened and formed into its final shape by expert craftsmen. With Nordent, you can be assured of the highest level of quality, consistency, and the sharpest tips in the industry.

Single End

#23



Handle Selection

CEEX23 *shown* REEX23 EX23

#408



Handle Selection

CEEXS408 *shown* REEXS408 EXS408

#3A



Handle Selection

CEEX3A *shown* REEX3A EX3A

#6



Handle Selection

CEEX6SE *shown* REEX6SE EX6SE

#6A



Handle Selection

CEEX6A *shown* REEX6A EX6A

#6XL



Handle Selection

CEEX6XL *shown* REEX6XL EX6XL

#9



Handle Selection

CEEXS9 *shown* REEXS9 EXS9

#17



Handle Selection

CEEX17 *shown* REEX17 EX17



#23-6

Handle Selection CEEX23-6 shown REEX23-6 EX23-6



#5

Handle Selection CEEX5 shown REEX5 EX5



Tufts #17-23

Handle Selection CEEXU17-23 shown REEXU17-23 EXU17-23



#6DE

Handle Selection CEEX6DE shown REEX6DE EX6DE

Double End - Endodontic



#DG16

Handle Selection CEEX16 shown REEX16 EX16



#DG16-23

Handle Selection CEEX16-23 shown REEX16-23 EX16-23

Explorers

Double End



#2 Pig Tail

Handle Selection CEEX2 shown REEX2 EX2



#2A

Handle Selection CEEX2A shown REEX2A EX2A



#2XL

Handle Selection CEEX2XL shown REEX2XL EX2XL



#3DE

Handle Selection CEEX3DE shown REEX3DE EX3DE



#3 Cow Horn

Handle Selection CEEX3CH shown REEX3CH EX3CH



ODU - Old Dominion University #11-12

Handle Selection CEEX11-12 shown REEX11-12 EX11-12



ODU - Old Dominion University #11-12L With extended terminal shank.

Handle Selection CEEX11-12L shown REEX11-12L EX11-12L

Explos combine an Explorer tip and a Probe tip into one easy to use double end instrument. All Nordent Expro tips are made from spring tempered stainless steel and machine ground to exacting tolerances. The millimeter measurements are precisely cut into the Probe tips. Color coding is applied to Probes under extreme temperatures so that the color penetrates the surface of the tip. Probe tips undergo additional tight tolerance grinding to achieve the desired readability for each marking. Explorers are hand sharpened to a point. All tips are then formed by hand into their final shape by expert craftsmen.

Double End Explorer - Probe Combinations



W-23 Non-Color Coded Williams Probe 1-2-3-5-7-8-9-10 mm markings with #23 Shepherd's Hook Explorer.

Handle Selection CEPW23 shown REPW23 PW23



OW-23 Color Coded Williams Probe 1-2-3-5-7-8-9-10 mm markings with #23 Shepherd's Hook Explorer.

Handle Selection CEPCOW-23 shown REPCOW-23 PCOW-23



N12-23 Color Coded University of North Carolina Screening Probe 1-2-3-4-5-6-7-8-9-10-11-12 mm markings with #23 Shepherd's Hook Explorer.

Handle Selection CEPCN12-23 shown REPCN12-23 PCN12-23



N15-23 Color Coded University of North Carolina Screening Probe 1-2-3-4-5-6-7-8-9-10-11-12-13-14-15 mm markings with #23 Shepherd's Hook Explorer.

Handle Selection CEPCN15-23 shown REPCN15-23 PCN15-23



WHO-23 Color Coded "PSR" Ball Tip Screening Probe 3.5-5.5-8.5-11.5 mm markings with #23 Shepherd's Hook Explorer.

Handle Selection CEPCHWO-23 shown REPCWHO-23 PCWHO-23



N22-23 Color Coded Probe 2-4-6-8-10-12 mm markings with #23 Shepherd's Hook Explorer.

Handle Selection CEPCH22-23 shown REPCN22-23 PCN22-23



N33-23 Color Coded Probe 3-6-9-12 mm markings with #23 Shepherd's Hook Explorer.

Handle Selection CEPCH33-23 shown REPCN33-23 PCN33-23

Periodontal Probes

Probes are used to measure periodontal pocket depth in millimeter increments. All Nordent Probe tips are made from spring tempered stainless steel and machine ground to exacting tolerances. The millimeter measurements are precisely cut into the Probe tips. Color coding is applied to Probes under extreme temperatures so that the color penetrates the surface of the tip. Probe tips undergo additional tight tolerance grinding to achieve the desired readability for each marking. All tips are then hand formed into their final shape by expert craftsmen.

Single End



N12 Color Coded University of North Carolina Screening Probe 1-2-3-4-5-6-7-8-9-10-11-12 mm markings.

Handle Selection CEPCN12 shown REPCN12 PCN12



N15 Color Coded University of North Carolina Screening Probe 1-2-3-4-5-6-7-8-9-10-11-12-13-14-15 mm markings.

Handle Selection CEPCN15 shown REPCN15 PCN15



WHO Color Coded "PSR" Ball Tip Screening Probe 3.5-5.5-8.5-11.5 mm markings.

Handle Selection CEPCWHO shown REPCWHO PCWHO



N22 Color Coded Probe 2-4-6-8-10-12 mm markings.

Handle Selection CEPCN22 shown REPCN22 PCN22



N33 Color Coded Probe 3-6-9-12 mm markings.

Handle Selection CEPCN33 shown REPCN33 PCN33



N8-11 Color Coded Probe 3-6-8-11 mm markings.

Handle Selection CEPCN8-11 shown REPCN8-11 PCN8-11

Periodontal Probes

Single End



W Non-Color Coded Williams Probe 1-2-3-5-7-8-9-10 mm markings.

Handle Selection CEPW shown REPW PW



OW Color Coded Williams Probe 1-2-3-5-7-8-9-10 mm markings.

Handle Selection CEPCOW shown REPCOW PCOW

Double End



GF-W Non-Color Coded Goldman Fox (flat) - Williams (round) Probe 1-2-3-5-7-8-9-10 mm markings both tips.

Handle Selection CEPGF-W shown REPGF-W PGF-W



N116 Non-Color Coded Offset Probe 1-2-3-5-7-8-9-10 mm markings. "Mirror Image" shanks are curved 25° to allow access to posterior areas.

Handle Selection CEPN116 shown REPN116 PN116



N116 Color Coded Offset Probe 1-2-3-5-7-8-9-10 mm markings. "Mirror Image" shanks are curved 25° to allow access to posterior areas.

Handle Selection CEPCN116 shown REPCN116 PCN116



N136 Color Coded Offset Probe 3-6-9-12 mm markings. "Mirror Image" shanks are curved 25° to allow access to posterior areas.

Handle Selection CEPCN136 shown REPCN136 PCN136

Periodontal Probes

Double End -Bifurcation



NAB2 Color Coded Nabors Furcation Probe 3-6-9-12 mm markings .

Handle Selection **CEPCNAB2** shown **REPCNAB2** **PCNAB2**



NAB2 Non-Color Coded Nabors Furcation Probe no markings.

Handle Selection **CEPNAB2** shown **REPNAB2** **PNAB2**

Dressing Pliers

All Nordent Dressing Pliers are made of the finest stainless steel and hardened to assure proper tip alignment and maximum durability. Our Non-Locking Dressing Pliers feature an alignment "Stop-Pin" that keeps the pin from protruding past the finger grip and protects the clinician from risk of puncture.



DP1 Non-Locking College Pliers #1 (6" / 150 mm) Serrated Tips.



DP2 Locking College Pliers #2 (6" / 150 mm) Serrated Tips.



DP3 Locking Endodontic Pliers #3 with Grooved Tips (6" / 150 mm).



DP4 Non-Locking Perry Pliers #4 (5" / 125 mm) Serrated Tips.